	Application No.	Applicant(s)
	10/736,131	VIENS, CHRISTOPHER P.
Notice of Allowability	Examiner	Art Unit
	Elizabeth A. Plummer	3635
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	pears on the cover sheet with S (OR REMAINS) CLOSED in the Or other appropriate community RIGHTS. This application is sub-	the correspondence address nis application. If not included cation will be mailed in due course. THIS
1. $\boxtimes$ This communication is responsive to <u>Interview Summary</u> .	<u>30 July 2007</u> .	
2. The allowed claim(s) is/are <u>1-20</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority unally all blue blue blue blue blue blue blue bl</li></ul>	e been received.	
2. Certified copies of the priority documents hav	• •	
3. Copies of the certified copies of the priority do	ocuments have been received in	n this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mu	st be submitted.	
(a) I including changes required by the Notice of Draftsper	son's Patent Drawing Review (	PTO-948) attached
1) hereto or 2) to Paper No./Mail Date	_·	
<ul><li>(b) ☐ including changes required by the attached Examiner Paper No./Mail Date</li></ul>	·	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Infor	mal Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	•	mal Patent Application mary (PTO-413)
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Ma	nil Date <u>07/30/2007</u> . nendment/Comment
Paper No./Mail Date	8. 🗌 Examiner's St	atement of Reasons for Allowance
of Biological Material	9.	
		/J. CHAPMAN/
GAR		PRIMARY EXAMINER ART UNIT 3635

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Weins on 30 July 2007.

The application has been amended as follows:

## In the Claims:

In claim 1, line 7, "insulating block" has been deleted and --block of insulation-has been inserted before "bounded".

In claim 1, line 12, "insulating block" has been deleted and --block of insulation--has been inserted before ", providing".

In claim 1, line 13, "insulating block" has been deleted and --block of insulation-has been inserted before "and said frame".

In claim 1, lines 14-15, "insulating block" has been deleted and --block of insulation-- has been inserted before "and said passage".

In claim 1, line 19, "insulating block" has been deleted and --block of insulation--has been inserted before "in a".

In claim 1, line 20, "insulating block" has been deleted and --block of insulation--has been inserted before "resides".

Application/Control Number: 10/736,131

Art Unit: 3635

In claim 4, line 5, "insulating block" has been deleted and --block of insulation-has been inserted before "is faceted".

In claim 4, line 7, "insulating block" has been deleted and --block of insulation-has been inserted before "resides".

In claim 5, line 4, "insulating block when said insulating block" has been deleted and --block of insulation when said block of insulation-- has been inserted before "resides substantially".

In claim 6, lines 2-3, "insulating block" has been deleted and --block of insulation- has been inserted before "when said".

In claim 6, line 3, "insulating block" has been deleted and --block of insulation-has been inserted before "resides substantially".

In claim 12, line 3, "insulating block" has been deleted and --block of insulation--has been inserted before "and extending".

In claim 12, line 5, "insulating block" has been deleted and --block of insulation--has been inserted before "is substantially".

In claim 14, line 1, "insulating block" has been deleted and --block of insulation-has been inserted before "is fabricated".

In claim 16, line 1, "insulating block" has been deleted and --block of insulation-has been inserted before "further comprises:".

## Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth A. Plummer whose telephone number is (571)

Art Unit: 3635

272-2246. The examiner can normally be reached on Monday through Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on (571) 272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. CHAPMAN/ PRIMARY EXAMINER ART UNIT 3635

EAP